

Qwest
1801 California St.
Suite 900
Denver, Colorado 80202

November 16, 2009

NEW APPLICATION

ORIGINAL

Qwest



0000105374

RECEIVED

Spirit of Service®

Docket Control
Arizona Corporation Commission
1200 W. Washington Street
Phoenix, Arizona 85007

NOV 16 2 16 PM '09

T-01051B-09-0526

Dear Sir or Madam:

This filing is being made on behalf of Qwest Corporation (QC), Entity Code T-01051B.

Enclosed for filing with the Commission is an original plus thirteen (13) copies of a revision to Qwest's Competitive Advanced Communications Services Price Cap Tariff and Qwest's Competitive Private Line Transport Services Price Cap Tariff.

In this filing Qwest Corporation (Qwest) plans to introduce auto-acceptance for all 100 mbps Metro Optical Ethernet (MOE) circuits and below. Under auto-acceptance, billing will commence immediately where the port is available for service and the due date is reached. At the same time auto-acceptance is being introduced, an additional Labor Charge for the configuration of Optical and Ethernet Services is being added to the tariff.


Qwest also plans to add two new bandwidth profile options of 3 mbps and 7 mbps and decrease prices for bandwidth profile options of 10 mbps and below. In addition, Qwest will be adding a new increment for quality of service. A new 3 mbps increment for Priority 1 traffic will be available for the 3, 5, and 7 mbps bandwidth profile options.

As part of this filing Qwest also plans to restructure GeoMax Service. As part of this restructure, Qwest will no longer offer the following GeoMax interfaces (ESCON, ETR, FDDI, ISC, Fibre Channel - 133, 266 and 531 Mbps, and D1 Video), and the Additional Shelf element will be discontinued. Qwest will introduce new GeoMax Fibre Channels 4G and 10G Unprotected and Protected Ports, ISC3 Unprotected and Protected Ports and OC768 Unprotected and Protected Ports. Qwest also plans to increase the Premise Node capacity from 32 ports to 44 wavelengths.

Qwest respectfully requests that these proposed revisions become effective December 16, 2009.

Acknowledgment and date of receipt of this transmittal are requested. A duplicate letter and self-addressed, stamped envelope are attached for this purpose. If you have any questions regarding this filing, please contact me directly.

Sincerely,


Mark Brinton
Regulatory Support Manager
Office: (303) 383-6659
Fax: (303) 383-6667
e-mail: Mark.Brinton@Qwest.com

Attachment

Arizona Corporation Commission
DOCKETED

NOV 16 2009

DOCKETED BY

nr

Issued: 11-16-09

Effective: 12-16-09

4. ORDER MODIFICATIONS AND MISCELLANEOUS CHARGES

4.1 GENERAL (Cont'd)

4.1.11 ADDITIONAL ENGINEERING

Additional Engineering will be provided by the Company at the request of the customer only when:

- A. A customer requests additional technical information after the Company has already provided the technical information normally included on the Design Layout Report (DLR).
- B. Additional Engineering time is incurred by the Company to engineer a customer's request for a Customized service.

The Company will notify the customer that Additional Engineering charges, as set forth in 4.1.13.A., following, will apply before any additional engineering is undertaken. Normal business hours are from Monday through Friday 8 a.m. to 5 p.m. Hours before 8 a.m. and after 5 p.m., Monday through Friday, and all of Saturdays are considered overtime.

(M)

(M) Material moved to Page 13.1.

Issued: 11-16-09

Effective: 12-16-09

4. ORDER MODIFICATIONS AND MISCELLANEOUS CHARGES

4.1 GENERAL (Cont'd)

4.1.12 ADDITIONAL LABOR

Additional Labor is that labor requested by the customer on a given service and agreed to by the Company as set forth in A. through D., following. The Company will notify the customer that Additional Labor charges, as set forth in 4.1.13.B., following, will apply before any additional labor is undertaken. Normal business hours are from Monday through Friday 8 a.m. to 5 p.m. Hours before 8 a.m. and after 5 p.m., Monday through Friday, and all of Saturdays are considered overtime. Sundays and Holidays are premium time.

A. Overtime Installation

Overtime installation is that Company installation effort outside of normal business hours.

B. Other Labor

Other Labor is that additional labor not included in A., preceding, and labor incurred to accommodate a specific customer request that involves only labor which is not covered by any other section of this Tariff. Other Labor also includes fine tuning circuits (per occurrence) to return them to the originally designated level even though the circuit has not degraded below the designated immediate action level.

C. Labor for the Configuration of Optical and/or Ethernet Services

Labor charges for the Configuration of Optical and/or Ethernet Services are not included in A. or B., preceding. This charge covers a specific customer request that involves only labor, including testing and maintenance not covered in 4.1.14, 4.1.15, 4.1.16 or any other section of this Tariff.

(M) Material moved from Page 13.

Issued: 11-16-09

Effective: 12-16-09

4. ORDER MODIFICATIONS AND MISCELLANEOUS CHARGES

4.1 GENERAL

4.1.13 ADDITIONAL ENGINEERING AND LABOR CHARGES

B. Charges for Additional Labor (Cont'd)

2. Other Labor

ADDITIONAL LABOR PERIODS	USOC	NONRECURRING CHARGE
• Basic Time, per technician		
- First 1/2 hour or fraction thereof	ALGXX	\$19.00
- Each additional 1/2 hour or fraction thereof	ALG1X	19.00
• Overtime, per technician[1]		
- First 1/2 hour or fraction thereof	ALGOX	24.00
- Each additional 1/2 hour or fraction thereof	ALG2X	24.00
• Premium time, per technician[1]		
- First 1/2 hour or fraction thereof	ALGPX	29.00
- Each additional 1/2 hour or fraction thereof	ALG3X	29.00

3. Labor for the Configuration of Optical and/or Ethernet Services

	USOC	NONRECURRING CHARGE
• Service Order Charge,		
- per request	NKC51	\$175.00

(N)

(N)

[1] A call-out of a Company employee at a time not consecutive with employee's scheduled work period is subject to a minimum charge of four hours.

Issued: 11-16-09

Effective: 12-16-09

5. SERVICES

5.2 SERVICE DESCRIPTIONS

5.2.18 GEOMAX SERVICE (Cont'd)

D. Rate Categories

The basic rate categories that apply to *GeoMax* are:

- Premise Node, equipped with one shelf (described in D.1., following)
- CO Node, equipped with one shelf (described in D.2., following)
- Network Access Channel (NAC) (described in D.3., following)
- Amplifier Node (described in D.4., following)
- Transport Channels (described in D.5., following)
- Ports (described in D.6., following)

(M)

(T)

(T)

(M) This material moved to Obsolete Services, Section 105.

Issued: 11-16-09

Effective: 12-16-09

5. SERVICES

5.2 SERVICE DESCRIPTIONS

5.2.18 GEOMAX SERVICE

D. Rate Categories (Cont'd)

1. Premise Node, equipped with one shelf

The Premise Node is equipped with one shelf and common equipment to support up to 44 wavelengths. The number of ports per node will vary, depending on the interface, current technology and whether a customer chooses protected or unprotected ports. (C)

The Company will install a Premise Node at the customer's request to receive traffic from the CO Node or another Premise Node. The Premise Node is assessed per node, per month.

2. CO Node, equipped with one shelf

The CO Node is equipped with one shelf and common equipment to support up to 44 wavelengths. The number of ports per node will vary, depending on the interface, current technology and whether a customer chooses protected or unprotected ports. (C)

CO Nodes may be placed in a serving and/or remote wire centers. When a CO Node is located in a serving wire center (SWC), protocols may be delivered to a NAC which is in the customer-designated premise serviced by the SWC. The CO Node is assessed per node, per month.

3. Network Access Channel (NAC)

The Network Access Channel (NAC) may be placed in a customer-designated premise and is a Fiber Distribution Panel (FDP) connected to a CO Node Port via a 2 fiber non-protected interface.

One NAC is required per directly connected CO Port, there are no NAC ports. The NAC rate element is assessed per NAC, per month.

(M)
|
(M)

(M) This material moved to Obsolete Services, Section 105.

Issued: 11-16-09

Effective: 12-16-09

5. SERVICES

5.2 SERVICE DESCRIPTIONS

5.2.18 GEOMAX SERVICE

D. Rate Categories (Cont'd)

4. Amplifier Node (T)

This Optical Amplification provides required strengthening of the optical signals to support greater distances that are beyond the reach of the normal DWDM optical signals. The Company will determine the location where the Amplifier Node will be placed based upon design. (C)
(C)

5. Transport Channel (T)

The Transport Channel rate category provides for the transmission facilities between SWCs for a Premise Node and/or a CO Node. If there is just one SWC or CO Node in the configuration the mileage is zero.

If there are two or more SWCs and/or CO Nodes, the mileage for the application will be the air line miles between each of the SWCs and/or CO Nodes, calculated on a V and H basis. The mileage is not doubled to reflect protected or diverse paths.

Example: If a configuration consists of three SWCs at points A, B and C, then the mileage would be calculated on the air line miles from A to B, from B to C and from C to A. If location C was not an SWC then B to C and C to A would not be calculated.

6. Ports (T)

- OC3 Port, An Optical Carrier Level 3 of 155.52 Mbps
 - Protected
 - Unprotected
- OC12 Port, An Optical Carrier Level 12 of 622.08 Mbps
 - Protected
 - Unprotected
- OC48 Port, An Optical Carrier Level 48 of 2.488 Gbps
 - Protected
 - Unprotected

Issued: 11-16-09

Effective: 12-16-09

5. SERVICES

5.2 SERVICE DESCRIPTIONS

5.2.18 GEOMAX SERVICE

D.7. Ports (Cont'd)

- OC192 Port, An Optical Carrier Level 192 of 9.953 Gbps
 - Protected
 - Unprotected
- OC768 Port, An Optical Carrier Level 768 of 39.813 Gbps
 - Protected
 - Unprotected

(N)

(N)

(D)

(D)

- Fast Ethernet Port, 125 Mbps
 - Protected
 - Unprotected
- ISC-3 Port, An InterSystem Coupling Facility or A Coupling Facility link – An IBM 2.215 Gbps signal that provides data caching, locking and queuing services between a Coupling Facility and a CPU.
 - Protected
 - Unprotected

(C)

(C)

Issued: 11-16-09

Effective: 12-16-09

5. SERVICES

5.2 SERVICE DESCRIPTIONS

5.2.18 GEOMAX SERVICE

D.7. Ports (Cont'd)

- FICON Port, Fibre Connection (FICON™) channel – An IBM version of the industry standard Fibre Channel operating at either 1.062 Gbps or 2.125 Gbps signal which provides for connectivity similar to ESCON™ while enabling full duplex transfer and multiple concurrent Input/Output (I/O) operations on a single channel
 - Protected
 - Unprotected
- Gigabit Ethernet Port, 1.25 Mbps
 - Protected
 - Unprotected
- WAN PHY Ethernet Port, 10 Gbps
 - Protected
 - Unprotected
- LAN PHY Ethernet Port, 10 Gbps
 - Protected
 - Unprotected
- Fibre Channel Port, A set of ANSI standard supporting the following speeds:
1.062 Gbps, 2.125 Gbps, 4 Gbps, 10 Gbps
 - Protected
 - Unprotected

(D)

(D)

(C)

Issued: 11-16-09

Effective: 12-16-09

105. OBSOLETE SERVICES

SUBJECT	PAGE	
Clear Channel Capability	28	
Concentrator-Identifier Equipment	24	
DC Line Power	29	
<i>DATAPHONE</i> Digital Service	26	
<i>DATAPHONE</i> Select-A-Station (DSAS)	18	
General	1	
GeoMax Service	1	(N)
Series 5000 Channels	2	
Service Descriptions	2	
Telephone Answering Service	24	
<i>US WEST</i> DS1 Service	28	
Voice Grade Service	30	

Issued: 11-16-09

Effective: 12-16-09

105. OBSOLETE SERVICES

105.2 SERVICE DESCRIPTIONS (Cont'd)

105.2.18 GEOMAX SERVICE

D. Rate Categories

The basic rate categories that apply to *GeoMax* are:

- Additional Shelf (described, below)

1. Additional Shelf

The shelf is equipped with common equipment to support a maximum of 32 ports, depending on customer specific configurations and port requirements.

(M)

(T)(M)

(T)(M1)

(M1)

(M) Material moved from Section 5, Page 108.

(M) Material moved from Section 5, Page 109.